

# Master Garden Products.

**1-800-574-7248**


THB-30A.

Tahiti Bar Stool With Back and Arm Support.

Assembly Manual.

**Important Note: Do Not tighten the bolts until you have all of them in place. Use the Pre-Drilled holes and hand tighten to hold its place.**

1. Unpack THB-30A and check that you received all parts




1a. THB-30A comes with 7 bamboo stool components, 1 tightening tool, 6 long bolts and 4 short bolts.

2. Take side piece 1 and lay it on its side like shown in the picture above.

2a. Take both leg support pieces and match them to the numbers. 1 to 1 and 2 to 2. Then use 2 of the short bolts to hand tighten the Leg Support Pieces to the Side Support Pieces.

**Be Sure To Use The Pre-Drilled Holes!**

3. Take the Seat Support Piece and fit it to the front hole as marked in the below picture, be sure to make sure that the 2 posts in the middle of the seat support are pointing up.



4. Now it is time to install the Seat. Line up the 2 posts on the seat support with the 2 holes on the bottom of the seat, you may have to use a rubber mallet to get them in their place. Again match the numbers together, 3 to 3 and 4 to 4, and hand tighten 2 long bolts in. **Be sure to use the Pre-Drilled Holes!** If done correctly it should look like this.



5. Now place Side Piece 2 on top of the current assembly.

5a. Use the last 2 short bolts and hand tighten, using the pre-drilled holes, to the leg support. Then take 2 long bolts and hand tighten them to the seat.

**Note: Be sure to use the Pre-Drilled holes!**

If done correctly your seat assembly should look like this:



6. Before you install the seat back take the L-shaped Tightening Tool and tighten the 8 bolts you have already hand tightened.

7. Now that you have the current assembly all tight it's time to install the Seat Back.

Put the current assembly on its feet, get the Seat Back and match the numbers, 5 to 5 and 6 to 6.

7a. Make sure the the posts at the bottom of the Seat Back go into the holes on the Seat.

You may need to use a rubber mallet again to persuade them. Take the last 2 Long Bolts and tighten them into the posts from the 2 Side Pieces.

**Be sure to use the Pre-Drilled Holes!**

If done correctly you now have a beautiful Tahiti Bar Stool With Back and Arm Support.

**Important Note: Do Not tighten the bolts until you have all of them in place. Use the Pre-Drilled holes and hand tighten to hold its place.**

Any Questions?

Call us at **1-800-574-7248**